ers	LIGGETT, STEPHEN B. Art Unit
	Art Unit
ers	1624
	1634
s application is subject to	rrespondence address ication. If not included will be mailed in due course. THIS withdrawal from issue at the initiative
ved. ved in Application No	 ational stage application from the
nunication to file a reply co application.	omplying with the requirements
he attached EXAMINER'S) why the oath or declaration	AMENDMENT or NOTICE OF on is deficient.
Drawing Review (PTO-94	•
d be written on the drawing	s in the front (not the back) of
OGICAL MATERIAL mu	ust be submitted. Note the
. ☑ Interview Summary (F Paper No./Mail Date . ☑ Examiner's Amendment. ☐ Examiner's Statemen	10/25/04 ·
	is application is subject to 1308. C.C. § 119(a)-(d) or (f). ived. ived in Application No. ive been received in this national interview of the drawing coording to 37 CFR 1.121(d) OGICAL MATERIAL multiple of the common of the drawing Coording to 37 CFR 1.121(d) OGICAL MATERIAL multiple of the coording to 37 CFR 1.121(d) OGICAL MATERIAL multiple of the coording to 37 CFR 1.121(d) OGICAL MATERIAL multiple of the coording to 37 CFR 1.121(d) OGICAL MATERIAL multiple of the coording to 37 CFR 1.121(d) OGICAL MATERIAL multiple of the coording to 37 CFR 1.121(d) OGICAL MATERIAL multiple of the coording to 37 CFR 1.121(d) OGICAL MATERIAL multiple of the coordinate of

Application/Control Number: 09/856,803

Art Unit: 1634

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Matthew Catlett on October 25, 2004.

The application has been amended as follows:

- A. Claims 9, 10, 12, 16-21, 23 and 26-29 have been cancelled.
- B. The title has been amended to read:
- --VARIATION IN DRUG RESPONSE RELATED TO POLYMORPHISMS IN THE BETA2-ADRENERGIC RECEPTOR—

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carla Myers whose telephone number is (571) 272-0747. The examiner can normally be reached on Monday-Thursday from 6:30 AM-5:00 PM. A message may be left on the examiner's voice mail service. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Jones, can be reached on (571)-272-0745.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service

Application/Control Number: 09/856,803

Art Unit: 1634

Page 3

center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

Carla Myers October 26, 2004

CARLA J. MYERS PRIMARY EXAMINER